




# BK SV

Rivestimenti gradini a spigolo vivo.  
*Square nosed stair treads.*





1200x540 | 3600x540 mm |  $\phi$  27 mm | 0,5 mm / 3,5 mm | 4,0 mm | kg/ml 3,50

Colori standard



# BK 12

Profilo per gradini a spigolo arrotondato (raggio min. 15 mm).  
*Section comprising nosing, and tread (min. radius 15 mm).*



0,52x12 m |  $\phi$  27 mm | 0,5 mm / 2,2 mm | 2,7 mm | kg/ml 2,00  
 0,52x12 m |  $\phi$  27 mm | 0,5 mm / 3,5 mm | 4,0 mm | kg/ml 3,00

Colori standard



64  
 80

# ZOCCOLI SKIRTINGS

AG 4

AG 3

AG 2

TK 1

BK12


TK 3

BK SV

AG 1

WA 060

WA 1





# WA 1 • WA 060 • PROFILO

Battiscopa.  
Skirting.

WA 1

WA 060



Colori standard

EN 21



EG 06



EG 04




EG 08



EB 15



Profilo per sguscia - Cove former




# TK 1 • TK 3


Profili in gomma per rivestimento gradini a spigolo vivo.  
Rubber profiles for covering sharp-edged steps.



TK 1



TK 3



Colori standard

EN 21



EG 06



EG 04




EY 78




65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80

# AG 1 • AG 2 • AG 3 • AG 4


Profili per scale.  
Stair profiles.




AG 1




AG 2



AG 3



AG 4



Colori standard

EN 21



EG 06



EG 04

